





ERA part number: **A55090**

Technical parameter	Value
Battery	AGM Battery
ETN	550090080
Battery Capacity [Ah]	50 Ah
Cold Cranking Amps (CCA), EN [A]	800 A
Length [mm]	260
Width [mm]	173
Height [mm]	206
Layout	9
Terminals	I
Base hold-down	B07
Case size	G34
Weight [Kg]	17,50


Layout



Terminals



Base hold-down







ERA part number: **A560II**

Technical parameter	Value
Battery	AGM Battery
ETN	56090I066
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	660 A
Length [mm]	242
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L2
Weight [Kg]	17,80


Layout



Terminals



Base hold-down







ERA part number: **A57012**

Technical parameter	Value
Battery	AGM Battery
ETN	570901072
Battery Capacity [Ah]	70 Ah
Cold Cranking Amps (CCA), EN [A]	720 A
Length [mm]	278
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H6/LN3
Weight [Kg]	20,66


Layout



Terminals



Base hold-down







ERA part number: A58013

Technical parameter	Value
Battery	AGM Battery
ETN	580901076
Battery Capacity [Ah]	80 Ah
Cold Cranking Amps (CCA), EN [A]	760 A
Length [mm]	315
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H7/LN4
Weight [Kg]	23,39


Layout



Terminals



Base hold-down







ERA part number: **A59514**

Technical parameter	Value
Battery	AGM Battery
ETN	595901081
Battery Capacity [Ah]	95 Ah
Cold Cranking Amps (CCA), EN [A]	810 A
Length [mm]	353
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L5
Weight [Kg]	25,90


Layout



Terminals



Base hold-down







ERA part number: A60515

Technical parameter	Value
Battery	AGM Battery
ETN	605901091
Battery Capacity [Ah]	105 Ah
Cold Cranking Amps (CCA), EN [A]	910 A
Length [mm]	394
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L6
Weight [Kg]	29,00


Layout



Terminals



Base hold-down







ERA part number: E550II

Technical parameter	Value
Battery	EFB Battery
ETN	5500II048
Battery Capacity [Ah]	55 Ah
Cold Cranking Amps (CCA), EN [A]	480 A
Length [mm]	207
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	LOI
Weight [Kg]	13,90


Layout



Terminals



Base hold-down







ERA part number: E56010

Technical parameter	Value
Battery	EFB Battery
ETN	560010052
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	520 A
Length [mm]	230
Width [mm]	173
Height [mm]	222
Layout	0
Terminals	I
Base hold-down	B00
Case size	D23
Weight [Kg]	16,20


Layout



Terminals



Base hold-down







ERA part number: E560II

Technical parameter	Value
Battery	EFB Battery
ETN	560500064
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	640 A
Length [mm]	242
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H5/LN2
Weight [Kg]	16,12


Layout



Terminals



Base hold-down







ERA part number: E56512

Technical parameter	Value
Battery	EFB Battery
ETN	565500065
Battery Capacity [Ah]	65 Ah
Cold Cranking Amps (CCA), EN [A]	650 A
Length [mm]	278
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T6/LB3
Weight [Kg]	17,32


Layout



Terminals



Base hold-down







ERA part number: E565II

Technical parameter	Value
Battery	EFB Battery
ETN	565502065
Battery Capacity [Ah]	65 Ah
Cold Cranking Amps (CCA), EN [A]	650 A
Length [mm]	232
Width [mm]	173
Height [mm]	225
Layout	0
Terminals	I
Base hold-down	B00
Case size	D23
Weight [Kg]	16,67


Layout



Terminals



Base hold-down







ERA part number: E57013

Technical parameter	Value
Battery	EFB Battery
ETN	570500070
Battery Capacity [Ah]	70 Ah
Cold Cranking Amps (CCA), EN [A]	700 A
Length [mm]	278
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H6/LN3
Weight [Kg]	18,64


Layout



Terminals



Base hold-down







ERA part number: E57210

Technical parameter	Value
Battery	EFB Battery
ETN	572502076
Battery Capacity [Ah]	72 Ah
Cold Cranking Amps (CCA), EN [A]	760 A
Length [mm]	261
Width [mm]	175
Height [mm]	220
Layout	0
Terminals	I
Base hold-down	B0I
Case size	D26
Weight [Kg]	18,85


Layout



Terminals



Base hold-down







ERA part number: E57514

Technical parameter	Value
Battery	EFB Battery
ETN	575500073
Battery Capacity [Ah]	75 Ah
Cold Cranking Amps (CCA), EN [A]	730 A
Length [mm]	315
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T7/LB4
Weight [Kg]	19,41


Layout



Terminals



Base hold-down







ERA part number: E58015

Technical parameter	Value
Battery	EFB Battery
ETN	580500073
Battery Capacity [Ah]	75 Ah
Cold Cranking Amps (CCA), EN [A]	730 A
Length [mm]	315
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T7/LN4
Weight [Kg]	20,92


Layout



Terminals



Base hold-down







ERA part number: E58510

Technical parameter	Value
Battery	EFB Battery
ETN	585502080
Battery Capacity [Ah]	85 Ah
Cold Cranking Amps (CCA), EN [A]	800 A
Length [mm]	306
Width [mm]	173
Height [mm]	225
Layout	0
Terminals	I
Base hold-down	B0I
Case size	D3I
Weight [Kg]	21,40


Layout



Terminals



Base hold-down







ERA part number: E595II

Technical parameter	Value
Battery	EFB Battery
ETN	595500085
Battery Capacity [Ah]	95 Ah
Cold Cranking Amps (CCA), EN [A]	850 A
Length [mm]	353
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H8/L5
Weight [Kg]	23,52


Layout



Terminals



Base hold-down







ERA part number: E60510

Technical parameter	Value
Battery	EFB Battery
ETN	605010095
Battery Capacity [Ah]	105 Ah
Cold Cranking Amps (CCA), EN [A]	950 A
Length [mm]	392
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L06
Weight [Kg]	27,20


Layout



Terminals



Base hold-down







ERA part number: S53523

Technical parameter	Value
Battery	SLI Battery
ETN	535117030
Battery Capacity [Ah]	35 Ah
Cold Cranking Amps (CCA), EN [A]	300 A
Length [mm]	187
Width [mm]	140
Height [mm]	227
Layout	0
Terminals	3
Base hold-down	B01
Case size	B19
Weight [Kg]	9,31


Layout



Terminals



Base hold-down







ERA part number: S53522

Technical parameter	Value
Battery	SLI Battery
ETN	535II8030
Battery Capacity [Ah]	35 Ah
Cold Cranking Amps (CCA), EN [A]	300 A
Length [mm]	187
Width [mm]	127
Height [mm]	227
Layout	0
Terminals	3
Base hold-down	B00
Case size	BI9
Weight [Kg]	9,31


Layout



Terminals



Base hold-down







ERA part number: S5354I

Technical parameter	Value
Battery	SLI Battery
ETN	535II9030
Battery Capacity [Ah]	35 Ah
Cold Cranking Amps (CCA), EN [A]	300 A
Length [mm]	187
Width [mm]	127
Height [mm]	227
Layout	I
Terminals	3
Base hold-down	B00
Case size	BI9
Weight [Kg]	9,3I


Layout



Terminals



Base hold-down







ERA part number: S54012

Technical parameter	Value
Battery	SLI Battery
ETN	540406034
Battery Capacity [Ah]	40 Ah
Cold Cranking Amps (CCA), EN [A]	340 A
Length [mm]	175
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L0
Weight [Kg]	10,10


Layout



Terminals



Base hold-down







ERA part number: S54013

Technical parameter	Value
Battery	SLI Battery
ETN	540400036
Battery Capacity [Ah]	40 Ah
Cold Cranking Amps (CCA), EN [A]	360 A
Length [mm]	207
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T4/LBI
Weight [Kg]	10,56


Layout



Terminals



Base hold-down







ERA part number: S54214

Technical parameter	Value
Battery	SLI Battery
ETN	542400039
Battery Capacity [Ah]	42 Ah
Cold Cranking Amps (CCA), EN [A]	390 A
Length [mm]	175
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L0
Weight [Kg]	10,70


Layout



Terminals



Base hold-down







ERA part number: S54410

Technical parameter	Value
Battery	SLI Battery
ETN	544010040
Battery Capacity [Ah]	44 Ah
Cold Cranking Amps (CCA), EN [A]	400 A
Length [mm]	175
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L0
Weight [Kg]	10,70


Layout



Terminals



Base hold-down







ERA part number: S544I4

Technical parameter	Value
Battery	SLI Battery
ETN	544402044
Battery Capacity [Ah]	44 Ah
Cold Cranking Amps (CCA), EN [A]	440 A
Length [mm]	207
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T4/LBI
Weight [Kg]	11,78


Layout



Terminals



Base hold-down







ERA part number: S5452I

Technical parameter	Value
Battery	SLI Battery
ETN	545I55033
Battery Capacity [Ah]	45 Ah
Cold Cranking Amps (CCA), EN [A]	330 A
Length [mm]	237
Width [mm]	128
Height [mm]	225
Layout	0
Terminals	3
Base hold-down	B00
Case size	B24
Weight [Kg]	12,60


Layout



Terminals



Base hold-down







ERA part number: S54549

Technical parameter	Value
Battery	SLI Battery
ETN	545157033
Battery Capacity [Ah]	45 Ah
Cold Cranking Amps (CCA), EN [A]	330 A
Length [mm]	237
Width [mm]	128
Height [mm]	225
Layout	I
Terminals	3
Base hold-down	B00
Case size	B24
Weight [Kg]	12,60


Layout



Terminals



Base hold-down







ERA part number: S545I5

Technical parameter	Value
Battery	SLI Battery
ETN	5454I2040
Battery Capacity [Ah]	45 Ah
Cold Cranking Amps (CCA), EN [A]	400 A
Length [mm]	207
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H4/LI
Weight [Kg]	11,96


Layout



Terminals



Base hold-down







ERA part number: **S54506**

Technical parameter	Value
Battery	SLI Battery
ETN	5454I3040
Battery Capacity [Ah]	45 Ah
Cold Cranking Amps (CCA), EN [A]	400 A
Length [mm]	207
Width [mm]	175
Height [mm]	190
Layout	I
Terminals	I
Base hold-down	BI3
Case size	H4
Weight [Kg]	11,57


Layout



Terminals



Base hold-down







ERA part number: S54517

Technical parameter	Value
Battery	SLI Battery
ETN	545156033
Battery Capacity [Ah]	45 Ah
Cold Cranking Amps (CCA), EN [A]	330 A
Length [mm]	238
Width [mm]	129
Height [mm]	227
Layout	0
Terminals	I
Base hold-down	B00
Case size	B24
Weight [Kg]	11,35


Layout



Terminals



Base hold-down







ERA part number: S54508

Technical parameter	Value
Battery	SLI Battery
ETN	545158033
Battery Capacity [Ah]	45 Ah
Cold Cranking Amps (CCA), EN [A]	330 A
Length [mm]	238
Width [mm]	129
Height [mm]	227
Layout	I
Terminals	I
Base hold-down	B00
Case size	B24
Weight [Kg]	11,35


Layout



Terminals



Base hold-down







ERA part number: S550I2

Technical parameter	Value
Battery	SLI Battery
ETN	5500I2036
Battery Capacity [Ah]	50 Ah
Cold Cranking Amps (CCA), EN [A]	360 A
Length [mm]	200
Width [mm]	173
Height [mm]	222
Layout	0
Terminals	I
Base hold-down	Korean B0I
Case size	D20
Weight [Kg]	13,00


Layout



Terminals



Base hold-down







ERA part number: **S552II**

Technical parameter	Value
Battery	SLI Battery
ETN	552400047
Battery Capacity [Ah]	52 Ah
Cold Cranking Amps (CCA), EN [A]	470 A
Length [mm]	207
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H4
Weight [Kg]	12,14


Layout



Terminals



Base hold-down







ERA part number: S553I2

Technical parameter	Value
Battery	SLI Battery
ETN	553400047
Battery Capacity [Ah]	53 Ah
Cold Cranking Amps (CCA), EN [A]	470 A
Length [mm]	242
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T5/LB2
Weight [Kg]	13,42


Layout



Terminals



Base hold-down







ERA part number: **S556I3**

Technical parameter	Value
Battery	SLI Battery
ETN	556400048
Battery Capacity [Ah]	56 Ah
Cold Cranking Amps (CCA), EN [A]	480 A
Length [mm]	242
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H5
Weight [Kg]	13,44


Layout



Terminals



Base hold-down







ERA part number: S56010

Technical parameter	Value
Battery	SLI Battery
ETN	560010048
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	480 A
Length [mm]	230
Width [mm]	172
Height [mm]	222
Layout	0
Terminals	I
Base hold-down	Korean B0I
Case size	D23
Weight [Kg]	14,68


Layout



Terminals



Base hold-down







ERA part number: S56017

Technical parameter	Value
Battery	SLI Battery
ETN	560408054
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	540 A
Length [mm]	242
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H5/LN2
Weight [Kg]	14,72


Layout



Terminals



Base hold-down







ERA part number: S56016

Technical parameter	Value
Battery	SLI Battery
ETN	560409054
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	540 A
Length [mm]	242
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T5
Weight [Kg]	13,83


Layout



Terminals



Base hold-down







ERA part number: S56014

Technical parameter	Value
Battery	SLI Battery
ETN	5604I205I
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	510 A
Length [mm]	232
Width [mm]	173
Height [mm]	225
Layout	0
Terminals	I
Base hold-down	B00
Case size	D23
Weight [Kg]	14,05


Layout



Terminals



Base hold-down







ERA part number: S56005

Technical parameter	Value
Battery	SLI Battery
ETN	5604I305I
Battery Capacity [Ah]	60 Ah
Cold Cranking Amps (CCA), EN [A]	510 A
Length [mm]	232
Width [mm]	173
Height [mm]	225
Layout	I
Terminals	I
Base hold-down	B00
Case size	D23
Weight [Kg]	14,05


Layout



Terminals



Base hold-down







ERA part number: S565II

Technical parameter	Value
Battery	SLI Battery
ETN	5650II058
Battery Capacity [Ah]	65 Ah
Cold Cranking Amps (CCA), EN [A]	580 A
Length [mm]	230
Width [mm]	173
Height [mm]	222
Layout	0
Terminals	I
Base hold-down	Korean B0I
Case size	D23
Weight [Kg]	16,80


Layout



Terminals



Base hold-down







ERA part number: S56812

Technical parameter	Value
Battery	SLI Battery
ETN	568403057
Battery Capacity [Ah]	68 Ah
Cold Cranking Amps (CCA), EN [A]	570 A
Length [mm]	278
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T6
Weight [Kg]	15,33


Layout



Terminals



Base hold-down







ERA part number: S568I9

Technical parameter	Value
Battery	SLI Battery
ETN	568404055
Battery Capacity [Ah]	68 Ah
Cold Cranking Amps (CCA), EN [A]	550 A
Length [mm]	259
Width [mm]	178
Height [mm]	222
Layout	0
Terminals	I
Base hold-down	BOI
Case size	D26/MIO
Weight [Kg]	17,04


Layout



Terminals



Base hold-down







ERA part number: S56808

Technical parameter	Value
Battery	SLI Battery
ETN	568405055
Battery Capacity [Ah]	68 Ah
Cold Cranking Amps (CCA), EN [A]	550 A
Length [mm]	259
Width [mm]	178
Height [mm]	222
Layout	I
Terminals	I
Base hold-down	BOI
Case size	D26/MIO
Weight [Kg]	17,04


Layout



Terminals



Base hold-down







ERA part number: S57001

Technical parameter	Value
Battery	SLI Battery
ETN	570410064
Battery Capacity [Ah]	70 Ah
Cold Cranking Amps (CCA), EN [A]	640 A
Length [mm]	278
Width [mm]	175
Height [mm]	190
Layout	I
Terminals	I
Base hold-down	BI3
Case size	H6/LN3
Weight [Kg]	16,97


Layout



Terminals



Base hold-down







ERA part number: S57212

Technical parameter	Value
Battery	SLI Battery
ETN	572409068
Battery Capacity [Ah]	72 Ah
Cold Cranking Amps (CCA), EN [A]	680 A
Length [mm]	278
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T6/LB3
Weight [Kg]	16,80


Layout



Terminals



Base hold-down







ERA part number: **S574II**

Technical parameter	Value
Battery	SLI Battery
ETN	574104068
Battery Capacity [Ah]	74 Ah
Cold Cranking Amps (CCA), EN [A]	680 A
Length [mm]	278
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H6/LN3
Weight [Kg]	18,45


Layout



Terminals



Base hold-down







ERA part number: S57715

Technical parameter	Value
Battery	SLI Battery
ETN	577400078
Battery Capacity [Ah]	79 Ah
Cold Cranking Amps (CCA), EN [A]	725 A
Length [mm]	278
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	L3
Weight [Kg]	17,80


Layout



Terminals



Base hold-down







ERA part number: S58012

Technical parameter	Value
Battery	SLI Battery
ETN	580406074
Battery Capacity [Ah]	80 Ah
Cold Cranking Amps (CCA), EN [A]	740 A
Length [mm]	315
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T7/LB4
Weight [Kg]	19,08


Layout



Terminals



Base hold-down







ERA part number: S583I3

Technical parameter	Value
Battery	SLI Battery
ETN	583400072
Battery Capacity [Ah]	83 Ah
Cold Cranking Amps (CCA), EN [A]	720 A
Length [mm]	353
Width [mm]	175
Height [mm]	175
Layout	0
Terminals	I
Base hold-down	BI3
Case size	T8
Weight [Kg]	19,24


Layout



Terminals



Base hold-down







ERA part number: S59014

Technical parameter	Value
Battery	SLI Battery
ETN	590122072
Battery Capacity [Ah]	90 Ah
Cold Cranking Amps (CCA), EN [A]	720 A
Length [mm]	353
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H8
Weight [Kg]	20,34


Layout



Terminals



Base hold-down







ERA part number: S59III

Technical parameter	Value
Battery	SLI Battery
ETN	59I400074
Battery Capacity [Ah]	91 Ah
Cold Cranking Amps (CCA), EN [A]	740 A
Length [mm]	305
Width [mm]	178
Height [mm]	222
Layout	0
Terminals	I
Base hold-down	B0I
Case size	D3/MII
Weight [Kg]	20,74


Layout



Terminals



Base hold-down







ERA part number: S59100

Technical parameter	Value
Battery	SLI Battery
ETN	591401074
Battery Capacity [Ah]	91 Ah
Cold Cranking Amps (CCA), EN [A]	740 A
Length [mm]	305
Width [mm]	178
Height [mm]	222
Layout	I
Terminals	I
Base hold-down	B0I
Case size	D3/MII
Weight [Kg]	20,74


Layout



Terminals



Base hold-down







ERA part number: S59317

Technical parameter	Value
Battery	SLI Battery
ETN	593402080
Battery Capacity [Ah]	93 Ah
Cold Cranking Amps (CCA), EN [A]	800 A
Length [mm]	353
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H8/LN5
Weight [Kg]	22,20


Layout



Terminals



Base hold-down







ERA part number: S59515

Technical parameter	Value
Battery	SLI Battery
ETN	595404083
Battery Capacity [Ah]	95 Ah
Cold Cranking Amps (CCA), EN [A]	830 A
Length [mm]	306
Width [mm]	173
Height [mm]	225
Layout	0
Terminals	I
Base hold-down	B0I
Case size	D3I
Weight [Kg]	19,68


Layout



Terminals



Base hold-down







ERA part number: S59506

Technical parameter	Value
Battery	SLI Battery
ETN	595405083
Battery Capacity [Ah]	95 Ah
Cold Cranking Amps (CCA), EN [A]	830 A
Length [mm]	306
Width [mm]	173
Height [mm]	225
Layout	I
Terminals	I
Base hold-down	B0I
Case size	D3IR
Weight [Kg]	19,68


Layout



Terminals



Base hold-down







ERA part number: S60018

Technical parameter	Value
Battery	SLI Battery
ETN	600402083
Battery Capacity [Ah]	100 Ah
Cold Cranking Amps (CCA), EN [A]	830 A
Length [mm]	353
Width [mm]	175
Height [mm]	190
Layout	0
Terminals	I
Base hold-down	BI3
Case size	H8/LN5
Weight [Kg]	23,14


Layout



Terminals



Base hold-down







ERA part number: S600I7

Technical parameter	Value
Battery	SLI Battery
ETN	600I23072
Battery Capacity [Ah]	100 Ah
Cold Cranking Amps (CCA), EN [A]	720 A
Length [mm]	313
Width [mm]	175
Height [mm]	205
Layout	0
Terminals	I
Base hold-down	BI3
Case size	GB28
Weight [Kg]	22,60


Layout



Terminals



Base hold-down







ERA part number: T61051

Technical parameter	Value
Battery	SLI Battery
ETN	610013076
Battery Capacity [Ah]	110 Ah
Cold Cranking Amps (CCA), EN [A]	760 A
Length [mm]	514
Width [mm]	175
Height [mm]	210
Layout	3
Terminals	I
Base hold-down	B03
Case size	MAC 110
Weight [Kg]	30,97


Layout



Terminals



Base hold-down







ERA part number: T61013

Technical parameter	Value
Battery	SLI Battery
ETN	610404068
Battery Capacity [Ah]	110 Ah
Cold Cranking Amps (CCA), EN [A]	680 A
Length [mm]	349
Width [mm]	175
Height [mm]	239
Layout	0
Terminals	I
Base hold-down	B01
Case size	LOT 7
Weight [Kg]	26,80


Layout



Terminals



Base hold-down






ERA part number: T62051


Technical parameter	Value
Battery	SLI Battery
ETN	620045068
Battery Capacity [Ah]	120 Ah
Cold Cranking Amps (CCA), EN [A]	680 A
Length [mm]	513
Width [mm]	189
Height [mm]	223
Layout	3
Terminals	I
Base hold-down	B00
Case size	TYP A
Weight [Kg]	33,64

Layout



3

Terminals



I

Base hold-down




B00




ERA part number: T62064

Technical parameter	Value
Battery	SLI Battery
ETN	620109076
Battery Capacity [Ah]	120 Ah
Cold Cranking Amps (CCA), EN [A]	760 A
Length [mm]	510
Width [mm]	175
Height [mm]	228
Layout	4
Terminals	I
Base hold-down	B03
Case size	MAC 120
Weight [Kg]	35,12


Layout



Terminals



Base hold-down







ERA part number: T62010

Technical parameter	Value
Battery	SLI Battery
ETN	6200I0087
Battery Capacity [Ah]	120 Ah
Cold Cranking Amps (CCA), EN [A]	870 A
Length [mm]	349
Width [mm]	175
Height [mm]	235
Layout	0
Terminals	I
Base hold-down	B0I
Case size	D02
Weight [Kg]	27,50


Layout



Terminals



Base hold-down







ERA part number: T64053

Technical parameter	Value
Battery	SLI Battery
ETN	640036076
Battery Capacity [Ah]	140 Ah
Cold Cranking Amps (CCA), EN [A]	760 A
Length [mm]	513
Width [mm]	190
Height [mm]	217
Layout	3
Terminals	I
Base hold-down	B03
Case size	TYP A/MBI4
Weight [Kg]	34,69


Layout



Terminals



Base hold-down







ERA part number: T64052

Technical parameter	Value
Battery	SLI Battery
ETN	640I03080
Battery Capacity [Ah]	140 Ah
Cold Cranking Amps (CCA), EN [A]	800 A
Length [mm]	513
Width [mm]	189
Height [mm]	223
Layout	3
Terminals	I
Base hold-down	B00
Case size	TYP A
Weight [Kg]	34,69


Layout



Terminals



Base hold-down






ERA part number: T67054


Technical parameter	Value
Battery	SLI Battery
ETN	670043100
Battery Capacity [Ah]	170 Ah
Cold Cranking Amps (CCA), EN [A]	1 000 A
Length [mm]	513
Width [mm]	223
Height [mm]	223
Layout	3
Terminals	1
Base hold-down	B00
Case size	TYP B
Weight [Kg]	43,93

Layout



3

Terminals



Base hold-down




B00




ERA part number: T68055

Technical parameter	Value
Battery	SLI Battery
ETN	680032100
Battery Capacity [Ah]	180 Ah
Cold Cranking Amps (CCA), EN [A]	1 000 A
Length [mm]	513
Width [mm]	223
Height [mm]	223
Layout	3
Terminals	I
Base hold-down	B00
Case size	TYP B
Weight [Kg]	43,93


Layout



Terminals



Base hold-down







ERA part number: T70056

Technical parameter	Value
Battery	SLI Battery
ETN	700038105
Battery Capacity [Ah]	200 Ah
Cold Cranking Amps (CCA), EN [A]	1 050 A
Length [mm]	518
Width [mm]	273
Height [mm]	242
Layout	3
Terminals	I
Base hold-down	B00
Case size	C
Weight [Kg]	59,80


Layout



Terminals



Base hold-down







ERA part number: T72557

Technical parameter	Value
Battery	SLI Battery
ETN	725012115
Battery Capacity [Ah]	225 Ah
Cold Cranking Amps (CCA), EN [A]	1150 A
Length [mm]	518
Width [mm]	273
Height [mm]	240
Layout	3
Terminals	1
Base hold-down	B00
Case size	TYP C/MI6
Weight [Kg]	55,67

Layout



Terminals



Base hold-down

